

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 51,730				Community Options and MA Waiver Programs				
Population per square mile 69								
County ranking in state (1-72) 25								
Age	Female	Male	Total	Clients	Costs	Staffing - FTE	Number	Per 10,000 Population
0-14	5,260	5,560	10,800	COP	51	\$212,255	Total staff	19 3.7
15-19	1,790	1,970	3,760	MA Waiver *			Administrative	2 0.4
20-24	1,180	1,210	2,390	CIP1A	5	\$106,493	Professional staff	12 2.3
25-29	1,330	1,380	2,710	CIP1B	41	\$773,982	Technical/Paraprof.	3 0.6
30-34	1,650	1,650	3,300	CIP2	26	\$283,169	Support staff	2 0.5
35-39	2,050	2,140	4,190	COP-W	44	\$473,665	Funding	Per capita
40-44	2,090	2,120	4,210	CSLA	.	\$0	Total	\$986,812 \$19.08
45-54	3,350	3,640	7,000	Brain Injury	.	\$0	Local Taxes	\$474,613 \$9.17
55-64	2,330	2,410	4,740	Total COP/Wvrs	130	\$1,849,564	----- Licensed Establishments -----	
65-74	2,050	1,960	4,010	\$359,456 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Type	Capacity	Facilities
75-84	1,840	1,420	3,260	* Waiver costs reported here include federal funding.		Bed & Breakfast	32	9
85+	910	440	1,350			Camps	1,943	23
Total	25,830	25,900	51,730			Hotels, Motels	593	29
Age	Female	Male	Total	Eligible and Waiting	Clients costs	Tourist Rooming	110	42
0-17	6,450	6,840	13,270	163	n/a	Pools		21
18-44	8,900	9,190	18,090	(Family Care not provided in county)		Restaurants		241
45-64	5,680	6,050	11,740	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.		Vending		1
65+	4,800	3,820	8,620			----- WIC Participants -----		
Total	25,830	25,900	51,730					
Poverty Estimates for 1997						Number		
Estimate (C.I.+/-)						Pregnant/Postpartum		402
All ages	3,658		873			Infants		418
	7.3%		(2%)			Children, age 1-4		583
Ages 0-17	1,393		375			Total		1,403
	10.2%		(3%)			----- Cancer Incidence -----		
----- Employment -----								
Average wage for jobs covered by unemployment compensation \$25,165				Home Health Agencies 3		1999		
Note: based on place of work				Patients 152		Primary Site	Number	
				Patients per 10,000 pop. 29		Breast		52
Annual						Cervical		8
Labor Force Estimates	Average			Nursing Homes 13		Colorectal		42
Civilian Labor Force	26,289			Licensed beds 1,539		Trachea, Bronchus, Lung		33
Number employed	25,341			Occupancy rate 92.7%		Prostate		45
Number unemployed	948			Residents on Dec.31 1,421		Other sites		106
Unemployment rate	3.6%			Residents age 65 or older per 1,000 population **		Total		286

NATALITY

TOTAL LIVE BIRTHS	567		Birth Order	Births	Percent	Marital Status of Mother	Births	Percent
Crude Live Birth Rate	11.0		First	222	39	Married	424	75
General Fertility Rate	56.2		Second	179	32	Not married	143	25
			Third	108	19	Unknown	0	0
Live births with reported congenital anomalies	16	. %	Fourth or higher	58	10			
			Unknown	0	0			
Delivery Type	Births	Percent	First Prenatal Visit	Births	Percent	Education of Mother	Births	Percent
Vaginal after previous cesarean	25	4	1st trimester	471	83	Elementary or less	15	3
Forceps	8	1	2nd trimester	79	14	Some high school	66	12
Other vaginal	447	79	3rd trimester	11	2	High school	237	42
Primary cesarean	53	9	No visits	3	1	Some college	120	21
Repeat cesarean	34	6	Unknown	3	1	College graduate	128	23
Other or unknown	0	0				Unknown	1	<.5
Birthweight	Births	Percent	Number of Prenatal Care visits	Births	Percent	Smoking Status of Mother	Births	Percent
<1,500 gm	9	1.6	No visits	3	1	Smoker	122	22
1,500-2,499 gm	18	3.2	1-4	18	3	Nonsmoker	443	78
2,500+ gm	540	95.2	5-9	138	24	Unknown	2	<.5
Unknown	0	0	10-12	263	46			
			13+	144	25			
			Unknown	1	<.5			

Race of Mother	Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	556	98	25	4.5	463	83	76	14	17	3
Black	3	1	*	.	*	.	*	.	*	.
Other	8	1	2	25.0	7	88	1	13	.	.
Unknown	0	0

Age of Mother	Fertility		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	3	--	*	.	*	.	*	.	*	.
15-17	9	.	1	11.1	5	56	3	33	1	11
18-19	44	73	6	13.6	32	73	11	25	1	2
20-24	156	133	6	3.8	118	76	33	21	5	3
25-29	148	111	7	4.7	132	89	14	9	2	1
30-34	132	80	3	2.3	118	89	12	9	2	2
35-39	61	30	4	6.6	52	85	3	5	6	10
40+	14	.	.	.	11	79	3	21	.	.
Unknown	0	--

Teenage Births

56 31

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	12
Giardiasis	8
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	13
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	7
Shigellosis	<5
Tuberculosis	<5

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	50
Genital Herpes	14
Gonorrhea	<5
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	10,921
Non-compliant	80
Percent Compliant	99.3

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	634
Crude Death Rate	1,226

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	3	.
15-19	2	.
20-34	13	.
35-54	35	227
55-64	47	991
65-74	91	2,268
75-84	202	6,193
85+	237	17,530

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	4	.
Neonatal	3	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	4	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	2	.
1,500-2,499 gm	1	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	6	.
Neonatal	3	.
Fetal	3	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	182	352
Ischemic heart disease	131	253
Cancer (total)	147	284
Trachea/Bronchus/Lung	37	72
Colorectal	12	.
Female Breast	6	.*
Cerebrovascular Disease	53	102
Lower Resp. Disease	36	70
Pneumonia & Influenza	22	43
Accidents	30	58
Motor vehicle	15	.
Diabetes	12	.
Infectious & Parasitic	5	.
Suicide	5	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	13	.
Other Drugs	14	.
Both Mentioned	1	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	561	15
Alcohol-Related	94	2
With Citation:		
For OWI	49	1
For Speeding	30	1
Motorcyclist	20	2
Bicyclist	8	0
Pedestrian	12	0

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All					
Total	495	9.6	4.9	\$12,421	\$119
<18	46	3.5	3.3	\$10,539	\$37
18-44	123	6.8	5.1	\$14,596	\$99
45-64	86	7.3	5.1	\$12,572	\$92
65+	240	27.8	5.0	\$11,613	\$323
Injury: Hip Fracture					
Total	91	1.8	4.7	\$11,340	\$20
65+	87	10.1	4.7	\$11,349	\$114
Injury: Poisonings					
Total	23	0.4	1.8	\$3,487	\$2
18-44	13
Psychiatric					
Total	249	4.8	11.0	\$7,086	\$34
<18	66	5.0	17.1	\$10,673	\$53
18-44	102	5.6	7.7	\$4,845	\$27
45-64	39	3.3	8.4	\$5,999	\$20
65+	42	4.9	11.5	\$7,901	\$38
Coronary Heart Disease					
Total	296	5.7	3.4	\$15,440	\$88
45-64	87	7.4	3.1	\$16,433	\$122
65+	197	22.8	3.6	\$15,006	\$343
Malignant Neoplasms (Cancers): All					
Total	238	4.6	6.2	\$15,339	\$71
18-44	16
45-64	83	7.1	5.7	\$15,334	\$108
65+	134	15.5	6.4	\$14,666	\$228
Neoplasms: Female Breast (rates for female population)					
Total	24	0.9	1.8	\$6,541	\$6
Neoplasms: Colo-rectal					
Total	30	0.6	8.5	\$17,245	\$10
65+	22	2.6	9.0	\$18,355	\$47
Neoplasms: Lung					
Total	13
Diabetes					
Total	67	1.3	3.7	\$7,653	\$10
65+	37	4.3	4.1	\$7,226	\$31

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Alcohol-Related					
Total	108	2.1	4.5	\$3,208	\$7
18-44	58	3.2	5.0	\$3,128	\$10
45-64	41	3.5	4.1	\$3,106	\$11
Pneumonia and Influenza					
Total	259	5.0	4.0	\$7,084	\$35
<18	34	2.6	3.3	\$5,700	\$15
45-64	38	3.2	3.8	\$7,232	\$23
65+	171	19.8	4.1	\$6,974	\$138
Cerebrovascular Disease					
Total	179	3.5	3.9	\$8,090	\$28
45-64	23	2.0	3.1	\$10,050	\$20
65+	151	17.5	3.9	\$7,695	\$135
Chronic Obstructive Pulmonary Disease					
Total	116	2.2	3.4	\$5,300	\$12
<18	17
18-44	14
45-64	22	1.9	3.6	\$6,454	\$12
65+	63	7.3	3.7	\$5,682	\$42
Drug-Related					
Total	23	0.4	8.2	\$5,965	\$3
18-44	18
Total Hospitalizations					
Total	5,582	107.9	4.0	\$8,016	\$865
<18	892	67.2	3.3	\$4,140	\$278
18-44	1,352	74.7	3.5	\$5,884	\$440
45-64	1,027	87.5	4.2	\$10,446	\$914
65+	2,311	267.9	4.3	\$9,680	\$2,593

PREVENTABLE HOSPITALIZATIONS*

Total	829	16.0	3.4	\$5,919	\$95
<18	82	6.2	2.4	\$3,576	\$22
18-44	76	4.2	3.6	\$6,733	\$28
45-64	162	13.8	3.2	\$5,955	\$82
65+	509	59.0	3.7	\$6,164	\$364

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.